





PAPI SERIE

Installation



High side height, offering greater safety in the start section of the slide.

Rounded edges, no sharp edges.

Designed according to the requirements of the EN1176 standard.
Made of GRP. (Screws NOT included).

AVAILABLE COLORS:

GRAY
RAL7040

LIGHT
GREEN
RAL 6018

DARK
GREEN
RAL 6029

RED
RAL 3020

BLUE
RAL 5015

YELLOW
RAL 1018

PURPLE
RAL 4005

ORANGE
RAL 2009




Molder Disnova Composites
www.molderdisnova.com


COMPOSITE

SERIE PAPI

Safety clearance distances according to the requirements of the EN1176 standard



* All models can be installed with their standard height or 10 cm below.



	Height	Length	Width	Slope	Ra	B
Papi 90	900	2.553	770	30°	1.500	1.000
Papi 130	1.300	2.740	750	30°	1.500	2.000
Papi 150	1.500	3.305	755	30°	1.500	2.000
Papi 190	1.900	4.060	750	29°	1.770	2.000

Dimensions in mm.

COMPOSITE

Molder Disnova Composites
www.molderdisnova.com




PAPI SERIE


4 DIFFERENT
MODELS




Papi 90



Papi 130



Papi 150



Papi 190

